

A close-up photograph of a showerhead. The showerhead is dark-colored and covered in numerous water droplets of various sizes. The background is blurred, showing more of the showerhead's structure.

N&C

Showering
Collection

The Nicholls & Clarke Group is a business dedicated to the manufacture and supply of the finest building materials. Founded in 1875 in London, we have grown from servicing the capitals' building trades to becoming the largest privately owned national manufacturer and distributor of fine quality building products.

Quality manufacturing is at the core of our business and comes as standard. We own state of the art manufacturing facilities based across the UK and Central Europe. This gives us the broadest manufacturing capability available, allowing us to offer an extensive portfolio of product, more specialised than that of any of our competitors.

Our distribution network is supported with our private fleet of over 110 commercial vehicles. This gives us full logistical control from the point of manufacture through to delivery to site. We offer a nationwide delivery service, be that to site, home or commercial address. The vast majority of our deliveries are made on a next day basis.



Contents

Enhance8



N&C's Enhance8 range brings together an innovative and stylish collection of shower enclosures and wetroom panels. This contemporary collection features the most popular shower enclosure styles

For true peace of mind all Enhance8 enclosures and wetroom panels are covered by a Lifetime Guarantee.

Wetroom Solutions	1 - 6
Curved Quadrant One Door	7
Curved Quadrant Two Door	8
Bi-Fold Door	9
Pivot Door	10
Sliding Door	11
Level Access Sliding Door	12
Inswing Door	13
Bath Screens	14 - 16



Astro Two



The Astro Two range offers a variety of contemporary products, at an affordable price. The range encompasses an array of quadrant, bi-fold, pivot, sliding and corner entry enclosures, a selection of side panels, stylish bath screens.

Astro Two Range enclosures and bath screens feature toughened safety glass and bright silver framing, which effortlessly and seamlessly compliment all bathroom shapes and styles.

One Door Curved Quadrant	17
Two Door Curved Quadrant	18
Bi-Fold Door	19
Pivot Door	20
Sliding Door	21
Level Access Sliding Door	22
Corner Entry	23
Side and In-Line Panels	24
Bath Screens	25 - 26



Shower Trays
page 27

Shower Decks
page 28

Consumer Guide
page 28



The perfect way to create a wetroom - tailored to your own style

Our Wetroom Panel options can be fitted to our low level shower trays or straight to floor to create a true wetroom. We present a number of panel sizes and options, to help you create your perfect bathroom sanctuary. Included are the various configurations that are available to suit you and your bathroom.


All Panels are 2000mm high and the glass thickness is 8mm.

Due to the nature of the product water integrity cannot be guaranteed - please consult your installer

Selecting your configuration

Select the size of panel you require; choose your configuration; decide between a fixed or pivoting deflector panel; and select your desired bracing bars.

See **page 6** for size options and order codes.



Below is a selection of configurations which can be achieved to create corner, linear and alcove installations



Corner Panel ①
Bracing Kit S6100495



Corner Panel ①
Fixed Deflector Panel ③
Brace Bar S6100492



Front Panel ①
Corner Panel ②
Pivoting Deflector Panel ③
Brace Bar S6100492



x2 Corner Panels ①
Fixed Deflector Panel ③
Brace Bars S6100493 and S6100492

Enhance8 - Wetroom Solutions



Corner Panel ① | Fixed Deflector Panel ③
Brace Bar S6100492



Front Panel ② | Corner Panel ① | Pivoting Deflector Panel ③
Brace Bar S6100492



Fixed panel 'L' Shape close up



Brace bar and pivoting deflector panel



Adjustable panel foot for fixed panel

Deflector Panel - **Fixed or Pivoting**



Deflector panels can be added to your wetroom panel to increase the water integrity for your wetroom. The Pivoting Panel rotates through 180° allowing you to fold it inwards for wider entry access and it can be positioned inline to add more length to the wetroom panel, adding increased water integrity. The Fixed Panel is placed at the end of the wetroom panel and is static to help guide the water back into the showering area, to help keep the outside of your wetroom area drier. An adjustable panel foot is also supplied with the Fixed Panel.

The panel foot adjusts from 4mm to 29mm to accommodate high and low level trays, it is chromed brass with adjustable insert.


Brace Bars

A number of different styles of bracing bars are available. We offer all configurations that may be required and they can be cut and trimmed to the size required during installation to allow maximum flexibility and use of space. Bracing kits are used to provide added support for the glass and ensure that it is securely fitted in place.

Our bracing bars range from Ceiling Bracing Kits to 45° Angle Bracing Kits and from Curved Bracing Kits to Floor to Ceiling Bracing Kits. We have something to suit the enclosure style, your bathroom area and your preference, to present the highest level of stability.



Description	Code	Size (mm) Max	Adjustment (mm) Min
1. Low Level Bracing Kit*	S6100492	1030	Cut to suit
2. Side Panel Brace Kit (use with S6100492)	S6100493	–	Cut to suit
3. Ceiling Bracing Kit	S6100494	560	Cut to suit
4. Floor to Ceiling Brace Kit	S6100495	2700 high	Cut to suit
5. High Level Bracing Kit	S6100496	1135	Cut to suit
6. Vinyl Floor countour profile kit	S6100497	–	–



*For use straight back to wall or can be cut to 45° if required for corner fixing as illustrated in 1a and 1b.

N.B. Adjustments are measured from the wall to the inside of the glass.

Enhance8 - Wetroom Solutions



Linear Panel ④
x2 Pivoting Deflector Panels ③
x2 Brace Bar S6100492





Linear Panel ④
x2 Brace Bar S6100492



Corner Panel ①
Brace Bar S6100492



Front Panel ②
x2 Corner Panels ①
Pivoting Deflector Panel ③
Brace Bars S6100492 and S6100492 at 45°



① Alcove/Corner Panel includes wall fixing kit allowing +/- 7.5mm of vertical adjustment.

② Front Panel includes corner fixing kit.

③ Deflector Panel includes fixed or pivoting corner fixing kit.

④ Linear Panel includes freestanding floor fixing kit.

Shower Panels & Fittings **All panels are 2000mm in height**

Code	Description	Actual Width (mm)
------	-------------	-------------------

① Alcove / Corner Panel

S6100471	600 Corner Wetroom Panel	565
S6100472	700 Corner Wetroom Panel	665
S6100473	760 Corner Wetroom Panel	725
S6100474	800 Corner Wetroom Panel	765
S6100475	900 Corner Wetroom Panel	865
S6100476	1000 Corner Wetroom Panel	965
S6100477	1100 Corner Wetroom Panel	1065
S6100478	1200 Corner Wetroom Panel	1165
S6100479	1400 Corner Wetroom Panel	1365

② Front Panel

S6100480	600 Front Wetroom Panel	567
S6100481	700 Front Wetroom Panel	667
S6100482	760 Front Wetroom Panel	727
S6100483	800 Front Wetroom Panel	767
S6100484	900 Front Wetroom Panel	867
S6100485	1000 Front Wetroom Panel	967
S6100486	1100 Front Wetroom Panel	1067
S6100487	1200 Front Wetroom Panel	1167

Code	Description	Actual Width (mm)
------	-------------	-------------------

③ Deflector Panel

S6100488	200 Fixed Deflector Panel	226
S6100489	200 Pivoting Deflector Panel	243
S6100490	300 Pivoting Deflector Panel	343
S6100491	400 Pivoting Deflector Panel	443

④ Linear Panel

S6100379	1000 Linear Wetroom Panel	955
S6100381	1100 Linear Wetroom Panel	1067
S6100383	1200 Linear Wetroom Panel	1167
S6100385	1400 Front Wetroom Panel	1355



Enhance8 900 x 1200mm One Door Offset Quadrant - S6100711

One Door Quadrant

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100706	One Door Quad	800 x 800	425	750 - 775
S6100707	One Door Quad	900 x 900	525	850 - 875
S6100708	One Door Offset Quad	800 x 900	425	750 - 775 & 850 - 875
S6100709	One Door Offset Quad	800 x 1000	425	750 - 775 & 950 - 975
S6100710	One Door Offset Quad	800 x 1200	425	750 - 775 & 1150 - 1175
S6100711	One Door Offset Quad	900 x 1200	525	850 - 875 & 1150 - 1175



FEATURES AND BENEFITS:

- **Glass Thickness:** 8mm
- **Height:** 1950mm
- **Frame:** Bright Silver
- **Vertical Adjustment:** 25mm
- Chromed brass handle
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor



Enhance8 900 x 1200mm Two Door Offset Quadrant - S6100705

Two Door Quadrant



Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100700	Two Door Quad	800 x 800	330	750 - 775
S6100701	Two Door Quad	900 x 900	500	850 - 875
S6100702	Two Door Offset Quad	800 x 900	420	750 - 775 & 850 - 875
S6100703	Two Door Offset Quad	800 x 1000	420	750 - 775 & 950 - 975
S6100704	Two Door Offset Quad	800 x 1200	420	750 - 775 & 1150 - 1175
S6100705	Two Door Offset Quad	900 x 1200	510	850 - 875 & 1150 - 1175

FEATURES AND BENEFITS:

- **Glass Thickness:** 8mm
- **Height:** 1950mm
- **Frame:** Bright Silver
- **Vertical Adjustment:** 25mm
- Chromed brass handles
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

Enhance8 - Shower Enclosures



800mm Alcove Fitting
Enhance8 800mm Bi-Fold Door - S6100713



800 x 800mm Corner Fitting
Enhance8 800mm Bi-Fold Door - S6100713
Enhance8 800mm Side Panel - S6100722

Bi-Fold Door

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100712	Bi-Fold Door	760	460	700 - 750
S6100713	Bi-Fold Door	800	500	740 - 790
S6100714	Bi-Fold Door	900	600	840 - 890
S6100715	Bi-Fold Door	1000	700	940 - 990
S6100716	Bi-Fold Door	1200	900	1140 - 1190
S6100720	Side Panel	700	-	640 - 690
S6100721	Side Panel	760	-	710 - 735
S6100722	Side Panel	800	-	750 - 775
S6100723	Side Panel	900	-	850 - 875
S6100724	Side Panel	1000	-	950 - 975
S6100725	In-Line Panel	200	-	+ 200mm to door sizes
S6100726	In-Line Panel	300	-	+ 300mm to door sizes

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward Opening
- Chromed brass handle
- Reversible for left or right hand fixing
- Install to tray or wetroom floor



Pivot Door

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100717	Pivot Door	760	465	700 - 750
S6100718	Pivot Door	800	505	740 - 790
S6100719	Pivot Door	900	605	840 - 890
S6100720	Side Panel	700	—	640 - 690
S6100721	Side Panel	760	—	710 - 735
S6100722	Side Panel	800	—	750 - 775
S6100723	Side Panel	900	—	850 - 875
S6100724	Side Panel	1000	—	950 - 975
S6100725	In-Line Panel	200	—	+ 200mm to door sizes
S6100726	In-Line Panel	300	—	+ 300mm to door sizes

FEATURES AND BENEFITS:

- **Glass Thickness:** 8mm
- **Height:** 1950mm
- **Frame:** Bright Silver
- **Vertical Adjustment:** 25mm
- Outward Opening
- Chromed brass handle and hinges
- Minimal low profile seals
- Pivot Door must be hinged from the wall
- Reversible for left or right hand fixing
- Install to tray or wetroom floor

Enhance8 - Shower Enclosures



1200 x 800mm Corner Fitting
Enhance8 1200mm Sliding Door - S6100729
Enhance8 800mm Side Panel - S6100722



1000mm Alcove Fitting
Enhance8 1000mm Sliding Door - S6100727

Sliding Door

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100727	Sliding Door	1000	360	940 - 990
S6100728	Sliding Door	1100	410	1040 - 1090
S6100729	Sliding Door	1200	460	1140 - 1190
S6100730	Sliding Door	1400	560	1340 - 1390
S6100731	Sliding Door	1700	710	1640 - 1690
S6100720	Side Panel	700	—	640 - 690
S6100721	Side Panel	760	—	710 - 735
S6100722	Side Panel	800	—	750 - 775
S6100723	Side Panel	900	—	850 - 875
S6100724	Side Panel	1000	—	950 - 975

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Chromed brass handle
- Minimal low profile seals
- Smooth running 'quick release' roller bearings
- Reversible for left or right hand fixing
- Install to tray or wetroom floor



1400mm Alcove Fitting (Left Hand)
Enhance8 1400mm Level Access Sliding Door - S6100738

Level Access Sliding Door

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Silver
- Vertical Adjustment: 25mm
- Chromed brass handle
- Optional bottom rail
- Easy release door function
- Left or Right handing must be specified
- Install to tray or wetroom floor

Can be used with Enhance8 Side Panels to create a corner fitting

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100732	Level Access Sliding Door LH	1000	360	940 - 990
S6100733	Level Access Sliding Door RH	1000	360	940 - 990
S6100734	Level Access Sliding Door LH	1100	410	1040 - 1090
S6100735	Level Access Sliding Door RH	1100	410	1040 - 1090
S6100736	Level Access Sliding Door LH	1200	460	1140 - 1190
S6100737	Level Access Sliding Door RH	1200	460	1140 - 1190
S6100738	Level Access Sliding Door LH	1400	560	1340 - 1390
S6100739	Level Access Sliding Door RH	1400	560	1340 - 1390
S6100740	Level Access Sliding Door LH	1700	710	1640 - 1690
S6100741	Level Access Sliding Door RH	1700	710	1640 - 1690
S6100720	Side Panel	700	—	640 - 690
S6100721	Side Panel	760	—	710 - 735
S6100722	Side Panel	800	—	750 - 775
S6100723	Side Panel	900	—	850 - 875
S6100724	Side Panel	1000	—	950 - 975

Enhance8 - Shower Enclosures



Inswing Door

Code	Description	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100748	Inswing Door	760	540	700 - 750
S6100749	Inswing Door	800	580	740 - 790
S6100750	Inswing Door	900	680	840 - 890
S6100747	Inswing Door	1000	780	940 - 990
S6100751	Inswing Door	1200*	580	1140 - 1190
S6100720	Side Panel	700	—	640 - 690
S6100721	Side Panel	760	—	710 - 735
S6100722	Side Panel	800	—	750 - 775
S6100723	Side Panel	900	—	850 - 875
S6100724	Side Panel	1000	—	950 - 975
S6100725	In-Line Panel	200	—	+ 200mm to door sizes
S6100726	In-Line Panel	300	—	+ 300mm to door sizes

*PLEASE NOTE: The 1200mm Inswing Door is a Door / In-Line Panel combination - see the Alcove image above.



FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1950mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward Opening
- Chromed brass handle and hinges
- Inswing Door must be hinged from the wall
- Reversible for left or right hand fixing
- Install to tray or wetroom floor



Enhance8 Hinged Bath Screen
Outward Folding (Left Hand) - S6100660

Outward Folding

Code	Description	Width (mm)		Adjustment (mm)
		Open	Closed	
S6100660	Outward Folding LH	910	620	885 - 910
S6100661	Outward Folding RH	910	620	885 - 910



Hinged Bath Screens

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Fixed panel and pivoting screen
- Bath top aluminium seal for added water integrity
- Power shower approved

Outward Folding

- Outward opening: hinges stop at 90° to avoid contact with basins / furniture
- Optional brace bar included

Inward Folding

- Horizontal PVC seal and vertical magnetic seals



Enhance8 Hinged Bath Screen
Inward Folding (Left Hand) - S6100745

Inward Folding

Code	Description	Width (mm)		Adjustment (mm)
		Open	Closed	
S6100745	Inward Folding LH	910	520	885 - 910
S6100746	Inward Folding RH	910	520	885 - 910



Enhance8 - Bath Screens



Enhance8 Bath Screen with Clear Glass - S6100415

Bath Screen

Code	Description	Width (mm)	Glass	Adjustment (mm)
S6100415	Bath Screen	820	Clear	810 - 835
S6100440	Bath Screen	820	Frosted	810 - 835



Enhance8 Bath Screen with Frosted Glass - S6100440

FEATURES AND BENEFITS:

- **Glass Thickness:** 6mm; clear or frosted
- **Height:** 1500mm
- **Frame:** Silver
- **Vertical Adjustment:** 25mm
- Inward and outward opening
- Unique sealing system between vertical and horizontal aluminium
- 180° movement
- Reversible for left or right hand fixing
- Power shower approved



Frameless Bath Screen

Code	Description	Size (mm)	Glass	Adjustment (mm)
S6100742	Frameless Bath Screen	835	Clear	810 - 835

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Outward opening only
- Horizontal PVC seal and deflector strip
- Reversible for left or right hand fixing
- Power shower approved



Pivoting Bath Screen

Code	Description	Width (mm)		Adjustment (mm)
		Open	Closed	
S6100743	Inward Opening	525 - 550	885 - 910	885 - 910

FEATURES AND BENEFITS:

- Glass Thickness: 8mm
- Height: 1500mm
- Frame: Bright Silver
- Vertical Adjustment: 25mm
- Inward opening only
- Fixed panel pivoting screen
- Reversible for left or right hand fixing
- Power shower approved



Astro Two - Shower Enclosures



Astro Two 1200 x 900mm One Door Quadrant - S6100635

One Door Quadrant

Code	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100631	900 x 900	450	865 - 890
S6100632	900 x 800	450	865 - 890 & 765 - 790
S6100633	1000 x 800	450	965 - 990 & 765 - 790
S6100634	1200 x 800	450	1165 - 1190 & 765 - 790
S6100635	1200 x 900	450	1165 - 1190 & 865 - 890



FEATURES AND BENEFITS:

- **Glass Thickness:** 6mm
- **Height:** 1900mm
- **Tray Compatibility:** 550mm radius
- Chromed brass handle on inside and outside
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Full length colourless PVC seals
- Reversible for left or right hand fixing
- Easy installation



Astro Two 900 x 900mm Two Door Quadrant - S6100626

Two Door Quadrant



Code	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100625	800 x 800	380	765 - 790
S6100626	900 x 900	510	865 - 890
S6100627	900 x 800	450	865 - 890 & 765 - 790
S6100628	1000 x 800	450	965 - 990 & 765 - 790
S6100629	1200 x 800	450	1165 - 1190 & 765 - 790
S6100630	1200 x 900	520	1165 - 1190 & 865 - 890

FEATURES AND BENEFITS:

- **Glass Thickness:** 6mm
- **Height:** 1900mm
- **Tray Compatibility:** 550mm radius
- Chromed brass handles on inside and outside
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Full length colourless PVC and magnetic seals
- Reversible for left or right hand fixing
- Easy installation

Astro Two - Shower Enclosures



900mm Alcove Fitting
Astro Two 800mm Bi-Fold Door - S6100602

Bi-Fold Door

Code	Size (mm)	Aperture (mm)	Adjustment (mm)	
			Alcove Fitting	With Side Panel
S6100600	760	435	700 - 750	730 - 780
S6100601	800	475	750 - 790	770 - 820
S6100602	900	575	840 - 890	870 - 920
S6100603	1000	675	940 - 990	970 - 1020



1100 x 800mm Corner Fitting
Astro Two 800mm Bi-Fold Door - S6100601
300mm In-Line Panel - S6100641 & 800mm Side Panel - S6100638

FEATURES AND BENEFITS:

- **Glass Thickness:** 4mm Door; 6mm Panels
- **Height:** 1900mm
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- Reversible for left or right hand fixing
- Easy installation



Pivot Door



Code	Size (mm)	Aperture (mm)	Adjustment (mm)	
			Alcove Fitting	With Side Panel
S6100604	760	460	700 - 750	726 - 776
S6100605	800	500	740 - 790	766 - 816
S6100606	900	600	840 - 890	866 - 916

FEATURES AND BENEFITS:

- **Glass Thickness:** 6mm
- **Height:** 1900mm
- Watertight magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth operation hinges with chromed plastic cover caps
- Reversible for left or right hand fixing

Astro Two - Shower Enclosures



1200mm Alcove Fitting
Astro Two 1200mm Sliding Door - S6100609

Sliding Door

Code	Size (mm)	Aperture (mm)	Adjustment (mm)	
			Alcove Fitting	With Side Panel
S6100607	1000	390	940 - 990	966 - 1016
S6100608	1100	440	1040 - 1090	1066 - 1116
S6100609	1200	490	1140 - 1190	1166 - 1216
S6100610	1300	540	1240 - 1290	1266 - 1316
S6100611	1400	590	1340 - 1390	1366 - 1416
S6100612	1500	640	1440 - 1490	1466 - 1516
S6100613	1600	690	1540 - 1590	1566 - 1616
S6100614	1700	740	1640 - 1690	1666 - 1716



1700 x 800mm Corner Fitting
Astro Two 1700mm Sliding Door - S6100614
& 800mm Side Panel - S6100638

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- PVC / magnetic seals
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Reversible for left or right hand fixing



1700 x 800mm Corner Fitting
Astro Two 1700mm Level Access Sliding Door -
& 800mm Side Panel - S6100638

Level Access Sliding Door

Code	Handing	Size (mm)	Aperture (mm)	Adjustment (mm)	
				Alcove Fitting	With Side Panel
S6100665	Left Hand	1000	390	940 - 990	976 - 1017
S6100666	Right Hand	1000	390	940 - 990	976 - 1017
S6100667	Left Hand	1100	440	1040 - 1090	1076 - 1117
S6100668	Right Hand	1100	440	1040 - 1090	1076 - 1117
S6100669	Left Hand	1200	490	1140 - 1190	1176 - 1217
S6100670	Right Hand	1200	490	1140 - 1190	1176 - 1217
S6100671	Left Hand	1400	590	1340 - 1390	1376 - 1417
S6100672	Right Hand	1400	590	1340 - 1390	1376 - 1417
S6100673	Left Hand	1700	740	1640 - 1690	1676 - 1717
S6100674	Right Hand	1700	740	1640 - 1690	1676 - 1717

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- Easy release door function
- Chromed brass bolt through handle
- Chromed plastic top caps
- Smooth running bearing assemblies in top rails
- Optional aluminium water guard strip (supplied)
- Right of left handing must be specified

Astro Two - Shower Enclosures



Astro Two 760mm Corner Entry - S6100616

Corner Entry

Code	Size (mm)	Aperture (mm)	Adjustment (mm)
S6100615	700 x 700	330	665 - 690
S6100616	760 x 760	375	725 - 750
S6100617	760 x 900	425	725 - 750 & 865 - 890
S6100620	760 x 1000	460	725 - 750 & 965 - 990
S6100618	800 x 800	400	765 - 790
S6100619	900 x 900	470	865 - 890
S6100621	1000 x 1000	545	965 - 990
S6100622	700 x 900	400	665 - 690 & 865 - 890
S6100623	800 x 900	435	765 - 790 & 865 - 890
S6100624	800 x 1200	545	765 - 790 & 1165 - 1190




Astro Two 1200 x 800mm Corner Fitting - S6100624

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- PVC / magnetic seals
- Chromed brass bolt through handles
- Chromed plastic top caps
- Smooth running bearing assemblies in the top and bottom rails
- 'Quick release' bearings in the bottom rail
- Reversible for left or right hand fixing



1100 x 800mm Corner Fitting
 Astro Two 800mm Bi-Fold Door - S6100601
 300mm In-Line Panel - S6100641 & 800mm Side Panel - S6100638



Side Panels, In-Line Panels and Extension Profile

Code	Description	Size (mm)	Adjustment (mm)
S6100636	Side Panel	700	665 - 690
S6100637	Side Panel	760	725 - 750
S6100638	Side Panel	800	765 - 790
S6100639	Side Panel	900	865 - 890
S6100640	In-Line Panel	200	+ 200mm to door sizes
S6100641	In-Line Panel	300	+ 300mm to door sizes
S6100642	Extension Profile	—	40mm extra


FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1900mm
- Chromed plastic top caps
- Reversible for left or right hand fixing

Astro Two - Bath Screens

Inward Folding Bath Screen

Code	Description	Width (mm)	Adjustment (mm)
S6100245	Inward Folding	910	885 - 910



FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Silver
- Vertical Adjustment: 25mm
- Optional bracing bar included
- Reversible for left or right hand fixing
- Power shower approved



Closed Position
Astro Two Inward Folding Bath Screen - S6100245




Open Position
Astro Two Inward Folding Bath Screen - S6100245

Folding Bath Screen

Code	Description	Width (mm)	Glass	Adjustment (mm)
S6100470	Folding Bath Screen	920	Clear	895 - 920

FEATURES AND BENEFITS:

- Glass Thickness: 6mm
- Height: 1500mm
- Frame: Silver
- Vertical Adjustment: 25mm
- Full length magnetic PVC seals
- Optional brace bar included
- Reversible for left or right hand fixing
- Power shower approved



A. Width: 920mm when fully open

C. Width: 450mm when in closed position 2

B. Width: 520mm when in closed position 1

D. Width: 430mm when in closed position 3



Enhance8 Folding Bath Screen - S6100470



Angled Bath Screen

Code	Width (mm)	Adjustment (mm)
S6100294	850	850 - 875

FEATURES AND BENEFITS:

- **Glass Thickness:** 6mm
- **Height:** 1500mm
- **Frame:** Silver
- Frameless with radius glass
- Bright silver aluminium towel rail
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing



Curved Bath Screen

Code	Width (mm)	Adjustment (mm)
S6100282	820	810 - 825

FEATURES AND BENEFITS:

- **Glass Thickness:** 5mm
- **Height:** 1360mm
- **Frame:** Silver
- Frameless with radius glass
- Rotates through 180° for access
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing



Standard Bath Screen

Code	Width (mm)	Adjustment (mm)
S6100283	820	810 - 825

FEATURES AND BENEFITS:

- **Glass Thickness:** 5mm
- **Height:** 1360mm
- **Frame:** Silver
- Frameless with square glass
- Rotates through 180° for access
- Suitable for all standard bath mixer and electric showers
- Not recommended for use with pumped or pressurised systems
- Reversible for left or right hand fixing

Flat Top Trays




Low Profile Trays




STYLE Size (mm)	FLAT TOP Height 80mm	EASY PLUMB 80mm & 95mm	LOW PROFILE 45mm	LOW PROFILE LEG SET
SQUARE				
760 x 760	S2220100	S2220108	S2220116	S2220126
800 x 800	S2220101	S2220109	S2220117	S2220126
900 x 900	S2220102	S2220110	S2220118	S2220126
RECTANGLE				
100 x 800	S2220103	S2220111	S2220119	S2220126
1200 x 760	S2220104	S2220112	S2220120	S2220126
1200 x 800	S2220105	S2220113	S2220121	S2220126
QUADRANT (55R)				
800	S2220106	S2220114	S2220122	S2220124
900	S2220107	S2220115	S2220123	S2220124
OFFSET QUADRANT				
1200 x 800 L/H	S2220131	S2220138	S2220145	S2220125
1200 x 800 R/H	S2220132	S2220139	S2220146	S2220125
1200 x 900 L/H	S2220133	S2220140	S2220147	S2220125
1200 x 900 R/H	S2220134	S2220141	S2220148	S2220125
1000 x 800 L/H	S2220135	S2220142	S2220149	S2220125
1000 x 800 R/H	S2220136	S2220143	S2220150	S2220125
800 x 900 L/H	S2220153	S2220155	S2220157	S2220124
800 x 900 R/H	S2220154	S2220156	S2220158	S2220124
Flexi Upstand	S2220130	S2220130	S2220130	—
Waste	S2220128	S2220128	S2220129	—

Easy Plumb Tray Cross Section



Flat Top Tray Cross Section



Low Profile Leg Set



The complete collection of N&C shower enclosures, shower trays and wet room systems can be seen within our 300 page Total Bathroom Collections catalogue, request your copy today.







Shower Decks

The UK's strongest shower decks with industry leading, independent test results

Our shower decks have been manufactured to a high quality and independently tested and have been proven to be the strongest shower decks in the UK market. Our decks help to achieve level access showering for a seamless transition into the shower area.

Choose a suitable shower deck based on the environment and whether the floor covering will be tiled or vinyl installation for a totally water tight solution.

Suitable for both concrete and timber floor installations.

N&C Premier Infinity Shower Deck	N&C Premier Shower Deck	N&C Aqua Floor Shower Deck
 <p>Our N&C Premier Infinity Deck is a revolutionary wet room floor former with a unique slider drain system for creating an easy to install, visually appealing level access wet floor: designed with the installer and end user in mind.</p> 	 <p>The N&C Premier Shower Deck is ideal for creating a level access wet floor area with ease. With a self supporting structure, Premier Shower Deck can be placed directly onto underfloor joists without the need for additional support. The built-in falls in the deck encourage the swift removal of waste water.</p> 	 <p>The strongest SMC deck with a unique ribbed underside, perfect for vinyl installations.</p> <p>The N&C Aqua-Floor shower deck is a high strength wet room shower deck that has been compression moulded using a high glass content SMC formulation.</p> 

Consumer Guide

IMPORTANT PRODUCT DETAILS

- Enclosures and Screens carry a manufacturer's guarantee if products are installed according to the installation instructions - see guarantee criteria below.
- Any guarantee variations are indicated separately.
- All guarantee forms supplied with installation instructions must be completed and returned within 60 days to validate the lifetime guarantee otherwise only a statutory 12 month guarantee will apply.
- All Shower Screens and Enclosures are manufactured using toughened safety glass which complies to BSEN12150.
- It is important to note, that the glass must not be mounted or 'pinched' in such a way that would cause a stress point to develop in the glass. In addition, it must not be subjected to any sharp impact or severe temperature fluctuation which may also cause a stress point to develop in the glass.
- Toughened glass is physically and thermally significantly stronger than standard glass. However a significant impact (or stress as outlined above) can cause Toughened glass to break. In the event of breakage, toughened glass will break safely into small fragments in line with all relevant Standards.
- All aluminium profiles are extruded in accordance with BS6063 and BS1474.
- All heights quoted for Enclosures and Screens are from the top of the Shower Tray.
- All fixings are hidden on products.
- All fixings and pivot pins are manufactured from stainless steel - this adds great strength and durability to products.
- All seals and gaskets on products are manufactured from colourless PVC.
- The design rights of these products are owned and all rights reserved.
- All Shower Screens and Enclosures are tested in accordance with BSEN14428 - Shower Enclosures, functional requirements and test methods.

Truelife Lifetime Guarantee - Enhance8 range only

All Shower Enclosures and Bath Screens are guaranteed against faulty materials or manufacture for LIFE, provided they have been installed, used and maintained in accordance with our instructions.

All product guarantees must be completed and returned within 60 days of purchase to validate the relevant guarantee. Failure to meet this deadline will result in a statutory 1 year guarantee on all products.

Should a claim arise, Customer Relations will investigate the issue. As part of this investigation we request that the following conditions be satisfied:

1. Proof of purchase at the time of the claim.
2. The guarantee applies to the original purchaser only and is non transferable.
3. The product has been fitted / installed in accordance with our fixing instructions, local bylaws and general good plumbing practice
4. The product has been maintained and cared for in accordance with our instructions (including regular and appropriate cleaning).

If in our opinion the product has been modified, misused, neglected, wilfully or accidentally damaged, we can accept no responsibility for failure.

Our representatives must be given the opportunity to inspect the product in the installed condition.

Should any products included in the Lifetime guarantee be used for Commercial use i.e. leisure clubs, schools, hospitals, student accommodation, hotels or residential homes, only a 5 year guarantee will be applicable.

If in our opinion the product fails due to faulty materials or manufacture and that the conditions above

have been met we will arrange for a specialist Technical Sales Representative to repair or replace that item at our option.

We believe in continuous improvement. If in our opinion the product has failed under the terms of the Guarantee and a replacement is offered but identical goods are no longer available, we will replace it with our nearest equivalent product. For countries outside of the UK and Republic of Ireland, where a product has failed due to faulty materials or manufacture, a replacement product or product part will be offered only.

Should we carry out work as a result of a claim but subsequently it is revealed that the product has been abused or improperly installed, we reserve the right to charge the customer for the expense incurred.

The liability is limited to the product supplied by us and does not extend to consequential loss or damage arising from the defective product.

This Guarantee, which is effective for products purchased after February 1st 2006, states our entire liability and is offered to customers acquiring our products as consumers, not in the course of trade or business. Ex displays or products reinstalled from their original position are not covered under this guarantee.

Non glass or metallic parts (e.g. seals) are subject to normal wear and tear through usage and are therefore covered on all products for 1 year from installation.

This Guarantee does not affect your statutory rights.

This Guarantee is wholly applicable in the UK and Republic of Ireland – export conditions as indicated.

Please Note the Astro Two products feature a Ten Year Guarantee. All terms above apply for ten years.



Distribution Centres, Trade Counters & Showrooms

N&C Building Materials
 41-51 Freshwater Road
 Chadwell Heath
Romford Essex RM8 1SP
 Tel: 020 8586 4600
 Fax: 020 8586 4646

Units B1/B3
 Sneyd Trading Estate
 Sneyd Hill, Burslem
Stoke-on-Trent ST6 2PA
 Tel: 01782 575727
 Fax: 01782 575641

26 Colquhoun Avenue
 Hillington Industrial Estate
 Hillington, Scotland
Glasgow G52 4BN
 Tel: 0141 880 1200
 Fax: 0141 880 1212

Unit C1
 Cothill Industrial Estate
 Plympton, **Plymouth** PL7 1SR
 Tel: 01752 339724
 Fax: 01752 342746

Units 3 & 4 Cardiff Trade Park
 Hadfield Road
Cardiff CF11 8AQ
 Tel: 029 2039 0146
 Fax: 029 2022 4356

Unit 4 Waterloo Industrial Estate
 Flanders Road, Hedge End
Southampton SO30 2QT
 Tel: 01489 779700
 Fax: 01489 779701

Nicholls & Clarke
 Est 1875

Trade Counters & Showrooms

Units 1A/B Alexander Place
 Lower Park Road
New Southgate
 London N11 1ST
 Tel: 020 8361 6050
 Fax: 020 8361 4757

Unit 8 Ascent Park
 Edinburgh Way
Harlow, Essex CM20 2HW
 Tel: 01279 621980
 Fax: 01279 621981

Unit 9 -11 McDonald Business Park
 Maylands Avenue
Hemel Hempstead
 Hertfordshire HP2 7EB
 Tel: 01442 234635
 Fax: 01442 279501

25 Gunnels Wood Park
 Gunnels Wood Road
Stevenage
 Hertfordshire SG1 2BH
 Tel: 01438 315400
 Fax: 01438 740338

Unit 14 Meridian Trading Estate
 Bugsby Way, **Charlton**
 London. SE7 7SJ
 Tel: 020 8269 5960
 Fax: 020 8269 5961

Unit 1 Cliffside Trade Park
 Motherwell Way
Lakeside, West Thurrock
 Essex RM20 3XD
 Tel: 01708 680180
 Fax: 01708 680181

Unit 8D Pompey Centre
 Fratton Way Southsea
Portsmouth PO4 8TA
 Tel: 02392 894599
 Fax: 02392 894598

Unit E5
 Copley Hill Trading Estate
 Whitehall Road
Leeds LS12 1HE
 Tel: 0113 243 5644

Units 10, 11, 14 & 15
 Advent Business Park
 Advent Way
Edmonton N18 3AF
 Tel: 020 8807 3227
 Fax: 020 8807 3223

2 - 3 Altbarn Close
 Wyncolls Road
 Severalls Park
Colchester Essex CO4 9HY
 Tel: 01206 849300
 Fax: 01206 845878

Unit 5 Tower Court
 St. David's Road Swansea
 Enterprise Park
Swansea SA6 8QL
 Tel: 01792 797337
 Fax: 01792 774019

Leofric House
 Off Phoenix Way
 Waterman Road
Coventry CV6 5TP
 Tel: 02476 705300
 Fax: 02476 705301